

## Author index

- AKSNES, G. *see* FU, M.L.X.  
AL-SAFFIR, A. *see* RAHMAN, M.  
ALSTER, P. *see* ERIKSSON, M.  
ANDÉN, T. *see* TROLIN, G.  
ANDERSEN, J.L., KLITGAARD, H. & SALTIN, B. Myosin heavy chain isoforms in single fibres from m. vastus lateralis of sprinters: influence of training, 135  
ARNBERG, H. *see* HÖGMAN, M.  
ARRIZURIETA, E.E. *see* VERON, D.  
ASZTÉLY, A., TOBIN, G. & EKSTRÖM, J. Masticatory-salivary reflexes mobilize non-adrenergic, non-cholinergic secretory mechanisms in parotid glands of conscious rats, 373  
ATHANASSAKIS, I. *see* VASSILADIS, S.  
BECHENSTEEN, A.G., HALVORSEN, S. & SKOTTNER, A. Recombinant human insulin-like growth factor-1 (rh-IGF-1) stimulates erythropoiesis in adult, but not in newborn mice, 117  
BEYER, N. *see* KJÆR, M.  
BIE, P. *see* EMMELUTH, C.  
BIRKELAND, S. & HEXEBERG, E. Is postsystolic shortening area always a marker of myocardial ischaemia?, 269  
BJÖRKSTRAND, E. *see* ERIKSSON, M.  
BLOMQVIST, G., SEITZ, R.J., SJÖGREN, I., HALLDIN, C., STONE-ELANDER, S., WIDÉN, L., SOLIN, O. & HAAPARANTA, M. Regional cerebral oxidative and total glucose consumption during rest and activation studied with positron emission tomography., 29  
BOLTER, C.P. Intrinsic cardiac rate regulation in the anaesthetized rabbit, 421  
BONEN, A. *see* McDERMOTT, J.C.  
BORBUJO, J. *see* FERNÁNDEZ, N.  
BOTTINELLI, R. *see* POLLÁ, B.  
BOUSHEL, R. *see* KJÆR, M.  
BURNSTOCK, G. *see* RALEVIC, V.  
CALVERT, D.T. *see* SHENNAN, D.B.  
CHRISTENSEN, P. *see* LEYSSAC, P.P.  
CVEK, K. *see* OLSSON, K.  
DEGUCHI, T. *see* NISHIYASU, T.  
DIÉGUÉX, G. *see* FERNÁNDEZ, N.  
DIENER, M., PETER, A. & SCHARER, E. The role of volume-sensitive Cl<sup>-</sup> channels in the stimulation of chloride absorption by short-chain fatty acids in the rat colon, 385  
DINAN, T.G., THAKORE, J. & O'KEANE, V. Lowering cortisol enhances growth hormone response to growth hormone releasing hormone in healthy subjects, 413  
DRUMMER, C. *see* EMMELUTH, C.  
DUNÉR-ENGSTRÖM, M. & FREDHOLM, B.B. Carbachol-induced phosphatidylcholine hydrolysis and choline efflux in rat submandibular gland involves phospholipase D activation and is modulated by protein kinase C and calcium, 515  
EDFELDT, H. & LUNDVALL, J. Skeletal muscle and skin as targets for powerful homeostatic vasomotor baroreflexes in humans during prolonged circulatory stress: a study on the innervated and nerve locked forearm, 61  
EDVINSSON, L. *see* RALEVIC, V.  
EDWALL, L. *see* KEREZOUDIS, N.P.  
EIDE, I. *see* ELGJO, G.I.  
EKMAN, R. *see* EKSTRÖM, J.  
EKSTRÖM, J. *see* ASZTÉLY, A.  
EKSTRÖM, J., EKMAN, R., HÅKANSON, R., LUTS, A. & SUNDLER, F. Developmental studies on vasoactive intestinal peptide, substance P and calcitonin gene-related peptide in salivary glands of postnatal rats, 107  
ELAM, M. *see* NOLL, G.  
ELBRÖND, H., TØTTRUP, A., VIRCHENKO, S. & FORMAN, A. Effects of transmural field stimulation in isolated muscle strips from rabbit sphincter of Oddi and duodenum, 91  
ELGJO, G.I., EIDE, I. & KNARDAHL, S. The role of the adrenal medulla in cardiovascular responses to hypertonic saline in haemorrhaged conscious rats, 429  
EMMELUTH, C., DRUMMER, C., GERZER, R. & BIE, P. Natriuresis in conscious dogs caused by increased carotid [NA<sup>+</sup>] during angiotensin II and aldosterone blockade, 403  
ENOKI, Y. *see* SHIMIZU, S.  
ERICSSON, A. *see* FRANCO-CERECEDA, A.  
ERIKSSON, M., BJÖRKSTRAND, E., SMEDH, U., ALSTER, P., MATTHIESSEN, A.-S. & UVNÄS-MOBERG, K. Role of vagal nerve activity during suckling. Effects on plasma levels of oxytocin, prolactin, VIP, somatostatin, insulin, glucagon, glucose and of milk secretion in lactating rats, 453  
ERIKSSON, P. *see* FU, M.L.X.  
ESCOBAR, E. *see* VERON, D.  
FÄNDRIKS L. *see* JÖNSEN, C.  
FERNANDES, A. *see* KJÆR, M.  
FERNÁNDEZ, N., GARCÍA-VILLALÓN, L., BORBUJO, J., MONGE, L., GARCÍA, J.L., GÓMEZ, B. & DIÉGUÉX, G. Cooling effects on the histaminergic response of rabbit ear and femoral arteries: role of the endothelium, 441

- FOLKOW, L.P. *see* SKOG, P.  
 FORMAN, A. *see* ELBRÖND, H.  
 FRANCO-CERECEDA, A., ERICSSON, A., SELLEI, P., VAAGE, J., VALEN, G. & LUNDBERG, J.M. Endothelin release at reperfusion of the porcine ischaemic heart in relation to noradrenaline and neuropeptide Y, 545  
 FREDHOLM, B.B. *see* DUNÉR-ENGSTRÖM, M.  
 FRIED, G. & LUI, Y.-A. Effects of endothelin, calcium channel blockade and EDRF inhibition on the contractility of human uteroplacental arteries, 477  
 FROSTELL, C. *see* HÖGMAN, M.  
 FU, M.L.X., ILEBEKK, A., XU, X., PERGOLA, G., ERIKSSON, P., KIRKBOEN, K., AKSNES, G., HOEBEKE, J. & HJALMARSON, Å. Gi-mediated adenylyl cyclase inhibition in timolol-treated stunned porcine myocardium, 291  
 FU, R.G. *see* JI, L.L.  
 FUCHI, T., ROSDAHL, H., HICKNER, R.C., UNGERSTEDT, U. & HENRIKSSON, J. Microdialysis of rat skeletal muscle and adipose tissue: dynamics of the interstitial glucose pool, 249  
 GALBO, H. *see* HAN, X.  
 GALBO, H. *see* KJÆR, M.  
 GALBO, H. *see* VAN DIJK, G.  
 GALUSKA, D. *see* NOLTE, L.A.  
 GARCÍA, J.L. *see* FERNÁNDEZ, N.  
 GARCÍA-VILLALÓN, L. *see* FERNÁNDEZ, N.  
 GERZER, R. & EMMELUTH, C.  
 GÓMEZ, B. *see* FERNÁNDEZ, N.  
 GONZALEZ, E. *see* KORNFIELD, M.  
 GRIFFITHS, M. *see* JI, L.L.  
 GUTIERREZ, A.M. *see* KORNFIELD, M.  
 HAAPARANTA, M. *see* BLOMQVIST, G.  
 HÅKANSON, R. *see* EKSTRÖM, J.  
 HALLDIN, C. *see* BLOMQVIST, G.  
 HALVORSEN, S. *see* BECHENSTEEN, A.G.  
 HAN, X. & GALBO, H. The effect of putative insulin-like substances released by the motor nerve on glucose transport in perfused rat muscle, 181  
 HAO, J.-X., HERREGODTS, P., LIND, G., MEYERSON, B., SEIGER, Å. & WEISENFELD-HALLIN, Z. Photochemically induced spinal cord ischaemia in rats: assessment of blood flow by laser Doppler flowmetry, 209  
 HARVEY, R.B. *see* MCKINLEY, M.J.  
 HEDENSTIERNA, G. *see* HÖGMAN, M.  
 HEDENSTIERNA, G. *see* TROLIN, G.  
 HELLSTRÖM, P.M. *see* RAHMAN, M.  
 HENRIKSSON, J. *see* FUCHI, T.  
 HERREGODTS, P. *see* HAO, J.-X.  
 HEXEBERG, E. *see* BIRKELAND, S.  
 HEYMAN, F. & STRID, K.-G. Pressure-induced local venous constrictor responses in human fingers, 301  
 HICKNER, R.C. *see* FUCHI, T.  
 HJALMARSON, Å. *see* FU, M.L.X.  
 HOEBEKE, J. *see* FU, M.L.X.  
 HÖGMAN, M., FROSTELL, C., ARNBERG, H., SANDHAGEN, B. & HEDENSTIERNA, G. Prolonged bleeding time during nitric oxide inhalation in the rabbit, 125  
 HORN, A. *see* KJÆR, M.  
 HOSSAINI-HILALI, J. *see* OLSSON, K.  
 IKEDA, K. *see* SUNOSE, H.  
 ILEBEKK, A. *see* FU, M.L.X.  
 ISHIDA, K., TAKAISHI, T. & MIYAMURA, M. Ventilatory responses at the onset of passive movement and voluntary exercise with arms and legs, 343  
 ISHIGAKI, M. *see* SUNOSE, H.  
 JAMIESON, E.A. *see* SHENNAN, D.B.  
 JANSSEN, B.J.A., STRUIJKER BOUDIER, H.A.J. & SMITS, J.F.M. Role of afferent renal nerves in renal adaptation to sodium restriction in uninephrectomized rats, 395  
 JI, L.L., FU, R.G., MITCHELL, E.W., GRIFFITHS, M., WALDROP, T.G. & SWARTZ, H.M. Cardiac hypertrophy alters myocardial response to ischaemia and reperfusion *in vivo*, 279  
 JØRGENSEN, F. & KROESE, A.B.A. Ionic selectivity of the mechano-electrical transduction channels in the hair cells of the frog sacculus, 7  
 JOHANSSON, B. *see* JÖNSON, C.  
 JOHANSSON, S. Graded action potentials generated by differentiated human neuroblastoma cells, 331  
 JÖNSON, C., JOHANSSON, B. & FÄNDRICKS, L. On the point of action for sympatho-adrenergic inhibition of duodenal alkaline secretion in the rat, 261  
 KARLSSON, T. *see* NOLL, G.  
 KATORI, Y. *see* SUNOSE, H.  
 KATZ, A. & RAZ, I. Hexokinase kinetics in human skeletal muscle after hyperinsulinaemia, hyperglycaemia and hyperepinephraemia, 527  
 KEREZOUDIS, N.P., OLGART, L. & EDWALL, L. CGRP (8-37) reduces the duration but not the maximal increase of antidromic vasodilation in dental pulp and lip of the rat, 83  
 KEUL, J. *see* ROKITZKI, L.  
 KIRKBOEN, K. *see* FU, M.L.X.  
 KJÆR, M., PERKO, G., SECHER, N.H., BOUSHEL, R., BEYER, N., POLLACK, S., HORN, A., FERNÁNDES, A., MOHR, T., LEWIS, S.F. & GALBO, H. Cardiovascular and ventilatory responses to electrically induced cycling with complete epidural anaesthesia in humans, 199  
 KLITGAARD, H. *see* ANDERSEN, J.L.  
 KNARDAHL, S. *see* ELGJO, G.I.  
 KOHZUKI, H. *see* SHIMIZU, S.  
 KORNFIELD, M., GUTIERREZ, A.M., GONZALEZ, E., SALOMONSSON, M. & PERSSON, A.E.G. Cell calcium concentration in glomerular afferent and efferent arterioles under the action of noradrenaline and angiotensin II, 99

- KROESE, A.B.A. *see* JØRGENSEN, F.  
KUNEŠ, J. *see* ZICHA, J.  
KUNIMOTO, M. *see* NOLL, G.
- LEWIS, S.F. *see* KJÆR, M.  
LEYSSAC, P.P. & CHRISTENSEN, P. A comparison between endogenous and exogenous lithium clearance in the anaesthetized rat, 173  
LIND, G. *see* HAO, J.-X.  
LOGEMANN, E. *see* ROKITZKI, L.  
LÖRDAL, M. *see* RAHMAN, M.  
LUI, Y.-A. *see* FRIED, G.  
LUNDBERG, J.M. *see* FRANCO-CERECEDA, A.  
LUNDVALL, J. *see* EDELD, H.  
LUTS, A. *see* EKSTRÖM, J.
- McDERMOTT, J.C. & BONEN, A. Lactate transport in rat sarcolemmal vesicles and intact skeletal muscle, and after muscle contraction, 17  
McKINLEY, M.J., HARVEY, R.B. & VIVAS, L. Reducing brain sodium concentration prevents post-prandial and dehydration-induced natriuresis in sheep, 467  
McNEILLIE, S.A. *see* SHENNAN, D.B.  
MARTIN, I.K. *see* NOLTE, L.A.  
MARTIN, R.S. *see* VERON, D.  
MATSUMURA, K. *see* SHIMIZU, S.  
MATTHIEN, A.-S. *see* ERIKSSON, M.  
MEDBO, J.I. & SEJERSTED, O.M. Plasma  $K^+$  changes during intense exercise in endurance-trained and sprint-trained athletes, 363  
MEYERSON, B. *see* HAO, J.-X.  
MITCHELL, E.W. *see* JI, L.L.  
MIYAMURA, M. *see* ISHIDA, K.  
MOHR, T. *see* KJÆR, M.  
MONGE, L. *see* FERNÁNDEZ, N.  
MORIMOTO, A. *see* NISHIYASU, T.  
MORIMOTO, K. *see* NISHIYASU, T.  
MURAKAMI, N. *see* NISHIYASU, T.  
MURPHY, M. *see* ROKITZKI, L.
- NISHIYAMA, A. *see* SUNOSE, H.  
NISHIYASU, M. *see* NISHIYASU, T.  
NISHIYASU, T., UENO, H., NISHIYASU, M., TAN, N., MORIMOTO, K.,  
MORIMOTO, A., DEGUCHI, T. & MURAKAMI, N. Relationship between mean arterial pressure and muscle cell pH during forearm ischaemia after sustained handgrip, 143  
NOLL, G., ELAM, M., KUNIMOTO, M., KARLSSON, T. & WALLIN, B.G. Skin sympathetic nerve activity and effector function during sleep in humans, 319  
NOLTE, L.A., GALUSKA, D., MARTIN, I.K., ZIERATH, J.R. & WALLBERG-HENRIKSSON, H. Elevated free fatty acid levels inhibit glucose phosphorylation in slow-twitch rat skeletal muscle, 51  
NORDIN, M. Intrafascicular recordings of afferent multi-unit activity from the human supraorbital nerve, 507
- OHGA, Y. *see* SHIMIZU, S.  
ÖJTEG, G. & WISTRAND, P.J. Renal handling and plasma elimination kinetics of carbonic anhydrase isozymes I, II, and III in the rat, 531  
O'KEANE, V. *see* DINAN, T.G.  
OKUDA, B. Cerebello-thalamo-cerebral projection from the dentate nucleus onto the frontal eye field in the cat, 1  
OLGART, L. *see* KEREZOUZIS, N.P.  
OLSSON, K., HOSSAINI-HILALI, J. & CVEK, K. Discrepant effects of angiotensin II and phenylephrine on plasma volume in conscious goats, 83  
83
- PATERSON, D.J. *see* RYAN, D.M.  
PERGOLA, G. *see* FU, M.L.X.  
PERKO, G. *see* KJÆR, M.  
PERSSON, A.E.G. *see* KORNFELD, M.  
PETER, A. *see* DIENER, M.  
POLLACK, S. *see* KJÆR, M.  
POLLACK, S. *see* KJÆR, M.
- RAHMAN, M., LÖRDAL, M., AL-SAFFIR, A. & HELLSTRÖM, P.M. Intestinal motility responses to neuropeptide  $\gamma$  *in vitro* and *in vivo* in the rat: comparison with neurokinin 1 and neurokinin 2 receptor agonists, 497  
RALEVIC, V., EDVINSSON, L. & BURNSTOCK, G. Inhibition of neuropeptide Y-induced augmentation of noradrenaline-induced vasoconstriction by D-myo-inositol 1,2,6-triphosphate in the rat mesenteric arterial bed, 309  
RAZ, I. *see* KATZ, A.  
REGGIANI, C. *see* POLLACK, B.  
ROKITZKI, L., LOGEMANN, E., SAGREDOS, A.N., MURPHY, M., WETZEL-ROTH, W. & KEUL, J. Lipid peroxidation and antioxidative vitamins under extreme endurance stress, 149  
ROSDAHL, H. *see* FUCHI, T.  
ROSSITTI, S. & STEPHENSEN, H. Temporal heterogeneity of the blood flow velocity at the middle cerebral artery in the normal human characterized by fractal analysis, 191  
RYAN, D.M. & PATERSON, D.J. Effect of ouabain and verapamil on restoration of contraction by adrenaline during high  $K^+$  in the frog heart, 417
- SAGREDOS, A.N. *see* ROKITZKI, L.  
SAITA, Y. *see* SUNOSE, H.  
SAKATA, S. *see* SHIMIZU, S.  
SALOMONSSON, M. *see* KORNFELD, M.  
SALTIN, B. *see* ANDERSEN, J.L.  
SANDHAGEN, B. *see* HÖGMAN, M.  
SANDOLI, D. *see* POLLACK, B.  
SARDI, C. *see* POLLACK, B.

- SCHARRER, E. *see* DIENER, M.  
 SECHER, N.H. *see* KJÆR, M.  
 SEIGER, Å. *see* HAO, J.-X.  
 SEITZ, R.J. *see* BLOMQUIST, G.  
 SEJERSTED, O.M. *see* MEDBØ, J.I.  
 SELLEI, P. *see* FRANCO-CERECEDA, A.  
 SHENNAN, D.B., McNEILLIE, S.A., JAMIESON, E.A. & CALVERT, D.T. Lysine transport in lactating rat mammary tissue: evidence for an interaction between cationic and neutral amino acids, 461  
 SHIMIZU, S., ENOKI, Y., SAKATA, S., KOHZUKI, H., OHGA, Y. & MATSUMURA, K. Erythropoietin response to acute hypobaric or anaemic hypoxia in gentamicin-administered rats, 225  
 SJÖGREN, I. *see* BLOMQUIST, G.  
 SKOG, E.B. & FOLKOW, L.P. Nasal heat and water exchange is not an effective mechanism for water balance regulation in grey seals, 233  
 SKOTTNER, A. *see* BECHENSTEIN, A.G.  
 SMEDH, U. *see* ERIKSSON, M.  
 SMEDH, U. & UVNÄS-MOBERG, K. Intracerebroventricularly administered corticotropin-releasing factor releases somatostatin through a cholinergic, vagal pathway in freely fed rats, 241  
 SMITS, J.F.M. *see* JANSSEN, B.J.A.  
 SOLIN, O. *see* BLOMQUIST, G.  
 STEFFENS, A.B. *see* VAN DIJK, G.  
 STEPHENSEN, H. *see* ROSSITTI, S.  
 STONE-ELANDER, S. *see* BLOMQUIST, G.  
 STRID, K.-G. *see* HEYMAN, F.  
 STRUIJKER BOUDIER, H.A.J. *see* JANSSEN, B.J.A.  
 SUNDLER, F. *see* EKSTRÖM, J.  
 SUNOSE, H., ZHANG, W., ISHIGAKI, M., KATORI, Y., SUZUKI, M., IKEDA, K., TAKASAKA, T., SAITO, Y. & NISHIYAMA, A. Isolation of acini from nasal glands of the guinea-pig, 377  
 SUZUKI, M. *see* SUNOSE, H.  
 SWARTZ, H.M. *see* JI, L.L.  
 TAKAISHI, T. *see* ISHIDA, K.  
 TAKASAKA, T. *see* SUNOSE, H.  
 TAN, N. *see* NISHIYASU, T.  
 TEZON, J.G. *see* VERON, D.  
 THAKORE, J. *see* DINAN, T.G.  
 TOBIN, G. *see* ASZTÉLY, A.  
 TROLIN, G., ANDÉN, T. & HEDENSTIERNA, G. Nitric oxide (NO) in expired air at rest and during exercise, 159  
 TRØTRUP, A. *see* ELBRØND, H.  
 TSOUKATOS, D. *see* VASSILADIS, S.  
 TUFARO, D. *see* VERON, D.  
 UENO, H. *see* NISHIYASU, T.  
 UNGERSTEDT, U. *see* FUCHI, T.  
 UVNÄS-MOBERG, K. *see* ERIKSSON, M.  
 UVNÄS-MOBERG, K. *see* SMEDH, U.  
 VAAGE, J. *see* FRANCO-CERECEDA, A.  
 VALEN, G. *see* FRANCO-CERECEDA, A.  
 VAN DIJK, G., VISSING, J., STEFFANS, A.B. & GALBO, H. Effect of anaesthetizing the region of the paraventricular hypothalamic nuclei on energy metabolism during exercise in the rat, 165  
 VASSILADIS, S., TSOUKATOS, D. & ATHANASSAKIS, I. Interferon-induced class II expression at the spongiotrophoblastic zone of the murine placenta is linked to fetal rejection and developmental abnormalities, 485  
 VERON, D., MARTIN, R.S., ESCOBAR, E., TUFARO, D., VISCONTI, P., TEZON, J.G. & ARRIZURIETA, E.E. Effect of NPPB on chloride (Cl<sup>-</sup>) transport in distal colon of potassium (K<sup>+</sup>) adapted rats., 45  
 VIRCHENKO, S. *see* ELBRØND, H.  
 VISCONTI, P. *see* VERON, D.  
 VISSING, J. *see* VAN DIJK, G.  
 VIVAS, L. *see* McKINLEY, M.J.  
 WALDROP, T.G. *see* JI, L.L.  
 WALLBERG-HENRIKSSON, H. *see* NOLTE, L.A.  
 WALLIN, B.G. *see* NOLL, G.  
 WEISENFELD-HALLIN, Z. *see* HAO, J.-X.  
 WETZEL-ROTH, W. *see* ROKITZKI, L.  
 WIDÉN, L. *see* BLOMQUIST, G.  
 WISTRAND, P.J. *see* ÖJTEG, G.  
 XU, X. *see* FU, M.L.X.  
 ZHANG, W. *see* SUNOSE, H.  
 ZICHA, J. & KUNEŠ, J. Haemodynamic changes induced by short- and long-term sodium chloride or sodium bicarbonate intake in deoxycorticosterone-treated rats, 217  
 ZIERATH, J.R. *see* NOLTE, L.A.

## Subject index

- Abortion, 485  
ACh, 377  
Action potential, 331  
Acute remodelling, 269  
Adenine nucleotide, 279  
Adenylyl cyclase, 291  
Adipose tissue, 249  
Adrenal medulla, 429  
Adrenaline, 165, 417, 429  
Afferent arteriole, 99  
Afferent nerves, 73  
Afferent renal nerves, 395  
Amiloride, 45, 173  
Amino acids, 461  
Anaemic hypoxia, 225  
Angiotensin II, 83, 99  
Antibody, 291  
Antioxidant enzyme, 279  
L-arginine pharmacology, 91  
Argon laser irradiation, 209  
Arm exercise, 343  
Arterial blood pressure, 199  
Arterial compliance, 217  
Arterial pressure, 125, 429  
Ascorbic acid, 149  
Atrial natriuretic peptide, 83, 403  
Atropine, 241, 377  
Autonomic nervous system, 261
- Baroreflex, 61  
Bicarbonate, 261  
Biological oscillators, 191  
1,6-biphosphate, 527  
Bleeding time, 125  
Blood circulation, 191  
Blood flow, 61, 73, 209, 249  
Blood flow velocity, 191  
Blood glucose homeostasis, 165  
Blood pressure, 217  
Bupivacaine, 165
- Calcitonin gene-related peptide, 73, 107  
Calcium channels, 477, 515  
Canrenoate, 403  
Carbonic anhydrase, 531  
Carbonic anhydrase inhibitors, 531  
Cardiac output, 217  
Cardiac pacemaker, 421  
Cardiopulmonary bypass, 541  
 $\beta$ -carotene, 149  
Cat, 1  
Cerebellocerebral projection, 1
- Cerebral arteries, 191  
Cerebrospinal fluid sodium concentration, 467  
Chloride, 45  
Cholecystokinin, 241  
Choline, 395  
Cholinergic nerves, 91, 515  
Circulatory response, 343  
 $\text{Cl}^-$  channels, 385  
Class II, 485  
Co-expression, 135  
Colon (rat), 385  
Computerized brain atlas, 29  
Conscious rat, 429  
Contractility, 477  
Corticosterone, 165  
Corticotropin-releasing factor, 241  
Cortisol, 413  
Cortisone acetate, 353  
Cutaneous arteries, 441  
Cutaneous capacitance vessels, 301  
Cytosolic free calcium, 99
- D-myo-inositol 1,2,6-triphosphate ( $\alpha$ -trinositol), 309  
Denervation, 181  
Dentate nucleus, 1  
Developmental abnormalities, 485  
Diltiazem, 477  
Distal colon, 45  
Doppler ultrasound, 191  
Duodenum, 261
- EDRF, 477  
Effect of training, 363  
Efferent arteriole, 99  
Electrolyte transport, 385  
Electrical stimulation, 17  
Electrolyte secretion, 377  
Enalaprilat, 403  
Endogenous lithium clearance, 173  
Endothelin, 477, 541  
Erythroid colony-forming units (CFU-E), 117  
Erythropoiesis, 117  
Erythropoietin, 117, 225  
Erythrosin B, 209  
Ethanol, 249  
Exercise hyperpnea, 343  
Exertion, 181  
Exhausting exercise, 363
- Face, 507  
Flameless AAS, 173  
Fluorescence digital imaging microscopy, 99

- Fluorescence microscopy, 377  
 Food deprivation, 241  
 Fractals, 191  
 Frog, 417  
 Frog sacculus, 7  
 Frontal eye field, 1  
 Functional electrical stimulation, 199  
 Fura-2, 377  
 Fura-2/AM, 99  
  
 Gastrin, 241  
 Gastrointestinal motility, 497  
 Gentamicin, 225  
 GFR, 173  
 Gi, 291  
 Glucocorticoids, 353  
 Glucose, 17, 249, 527  
 Glucose 6-phosphate, 51  
 Glucose disposal, 527  
 Glucose metabolism, 29  
 Glucose oxidation, 29, 51  
 Glucose phosphorylation, 51  
 Glucose turnover, 165  
 Glucose uptake, 181  
 Glucose-fatty acid cycle, 51  
 Glutathione, 279  
 Goat, 83  
 Graded impulse, 331  
 Growth hormone, 413  
 Growth hormone releasing hormone, 413  
  
 Haematocrit, 83  
 Haemodynamics, 61, 191, 429  
 Haemorrhage, 429  
 Hair cell, 7  
 Heart, 417, 541  
 Heart rate, 199, 429  
 $\alpha$ -helical CRF-41, 241  
 High intensity exercise, 363  
 Histamine, 441  
 Human, 61, 135  
 Human microvenous activity, 301  
 Hypertonic saline, 429  
 Hypertrophy, 279  
 Hypobaric hypoxia, 225  
 Hypothalamus, 165  
  
 Incisor pulp, 73  
 Insulin, 249, 453  
 Insulin sensitivity, 181  
 Insulin-like growth factor-1, 117  
 $\gamma$ -interferon, 485  
 Interstitial space, 249  
 Intestinal secretion, 261  
 Intrinsic atrial rate, 421  
 Intrinsic cardiac rate regulation, 421  
 Ionic selectivity, 7  
 Iron, 117  
  
 Ischaemia, 209, 279, 541  
 Ischaemic kidney, 531  
 Isozymes, 531  
  
 Lactate, 17, 199  
 Laser Doppler flowmetry, 209  
 LBNP, 61  
 Leg exercise, 343  
 Leukotrienes, 385  
 Lip, 73  
 Lung, 159  
 Lysine, 461  
  
 Mammary gland, 461  
 Marathon, 149  
 Mastication, 373  
 Mean arterial blood pressure, 143  
 Mechano-electrical transduction channel, 7  
 Mesangium, 99  
 Mesenteric arterial bed, 309  
 Metirapone, 413  
 Microdialysis, 249  
 Microneurography, 507  
 Microvein responsiveness, 301  
 Migrating myoelectric complex, 497  
 Milk secretion, 453  
 Monitoring, 191  
 mRNA, 291  
 Muscarinic receptor, 291  
 Muscle contraction, 181  
 Muscle fibre types, 353  
 Muscle pressor reflex, 199  
 Myocardial contraction, 269  
 Myocardial ischaemia, 269  
 Myocardial stunning, 291  
 Myocardium, 279  
 Myofibrillar ATPase histochemistry, 135  
 Myosin heavy chain, 353  
 Myosin heavy chain isoforms, 135  
  
 Na<sup>+</sup> current, 331  
 NANC nerves, 91  
 NANC transmitters, 373  
 Natriuresis, 173, 467  
 Neonatal, 117  
 Neuroblastoma, 331  
 Neurogenic drive, 343  
 Neurokinin A, 497  
 Neurokinins, 497  
 Neuromuscular blockade, 181  
 Neuropeptide y, 541  
 Neuropeptide Y, 309  
 Nifedipine, 477  
 Nitric oxide, 91, 125, 441  
 Nitric oxide (NO), 159, 477  
 Non-exhausting exercise, 363  
 Noradrenaline, 99, 165, 199, 541  
 NPPB, 45

## Nuclear magnetic resonance spectroscopy, 143

## Otolaryngology, 107

## Osmoreceptor urodilatin(ANP95-126), 403

## Osmoregulation, 233, 467

## Ouabain, 417

## Oxidative, 279

## Oxytocin, 453

## Passive movement, 343

## Patch-clamp, 377

## Pathophysiology, 485

## Phase I, 343

## Phenylephrine, 83

## Phosphatidylcholine hydrolysis, 515

## Phospholipase D, 515

## Photochemical reaction, 209

## Pig, 291

## Pinnipeds, 233

## Placental arteries, 477

## Plasma membranes, 17

## Plasma protein concentration, 83

## Plasma renin activity, 395

## Plasma volume, 225

## Positron emission tomography, 29

## Post-prandial, 467

## Potassium, 417

## Potassium adaptation, 45

## Pressure-length loop area, 269

## Presylvian sulcus, 1

## Prolactin, 453

## Protein binding, 531

## Protein concentration, 83

## Protein elimination, 531

## Protein kinase C, 515

## Proximal convoluted tubules, 225

## Pulmonary ventilation, 199

## Pulse pressure, 217

## Rabbits, 125

## Radicals, 149

## Rat, 45, 73, 395

## Reflex secretion, 373

## Regional activation, 29

## Renal denervation, 395

## Renal function, 395

## Reperfusion, 279

## Respiration, 159

## Respiratory water loss, 233

## Reticulocytes, 117

## Retinol, 149

## Right atrial pressure, 421

## Rubidium, 45

## Salivary glands, 107, 373

## Sensory vasodilatation, 309

## Short-chain fatty acids, 385

## Signal transduction, 515

## Single fibres, 135

## Sinoatrial node, 421

## Skeletal muscle, 51, 61, 249

## Skeletal muscle chemoflexes, 143

## Skin, 61, 319

## Sleep, 319

## Smooth muscle, 91, 477, 497

## Sodium bicarbonate, 217

## Sodium chloride, 217

## Sodium homeostasis, 395

## Sodium restriction, 395

## Somatosensory stimulation, 453

## Somatostatin, 241, 453, 527

## Sonomicrometry, 269

## Spinal cord, 209

## Splanchnic nerves, 261

## Strength- and interval-training, 135

## Stress, 279

## Stroke volume, 217

## Submandibular gland, 515

## Substance P, 73, 107, 497

## Sympathetic, 61

## Sympathetic activity, 319

## Systemic resistance, 217

## Tachykinins, 497

## Temperature, 441

## Temporal correlation, 191

## Tight-seal recording, 331

 $\alpha$ -tocopherol, 149

## Training, 279

## Transport, 17, 461

## Treadmill running, 363

## Trigeminal nerve, 507

## Undernutrition, 353

## Vagal nerve, 453

## Vagotomy, 241, 261

## Vascular resistance, 61

## Vasoactive intestinal peptide, 107

## Vasopressin, 403

## Venous myogenic responses, 301

## Ventilatory response, 343

## Ventromedial nucleus, 1

## Verapamil, 417

## VIP, 453

## Water-deprivation, 467